

Suggested References

National Registry of Certified Microbiologists
SM: Pharmaceutical and Medical Device

The National Registry of Certified Microbiologists
©2009 American Society for Microbiology



SUGGESTED REFERENCES

AOAC International. 2001. Accreditation criteria for laboratories performing microbiological and chemical analyses in food, feeds, and pharmaceutical testing. AOAC International, Gaithersburg, Md.

Association for Advancement of Medical Instrumentation (AAMI). Selected titles, especially on sterilization. Association for Advancement of Medical Instrumentation, Arlington, Va.

Association for Advancement of Medical Instrumentation. 2000. Sterilization of health care products; requirements for validation and routine control; industrial moist heat sterilization. ANSI/AAMI/ISO 11134:1993. Association for Advancement of Medical Instrumentation, Arlington, Va.

Clesceri, L. S., A. E. Greenberg, and A. D. Eaton (ed.). Part 9000, Microbiological examination: 9010-9060, 9212, 9215, 9221-9222, 9260. *In* Standard methods for the examination of water and wastewater, 20th ed. American Public Health Association (APHA), American Water Works Association, and Water Environment Federation, Washington, D.C.

Cosmetic, Toiletry, and Fragrance Association (CTFA). CTFA microbiology guidelines. Cosmetic, Toiletry, and Fragrance Association, Washington, D.C.

Cunniff, P. A., et al. (ed.). 2000. Microbiological methods. *In* Official methods of analysis, 17th ed. AOAC International, Gaithersburg, Md.

Difco Manual. Difco Laboratories, Inc., and Becton Dickinson and Co., Sparks, Md.

Environmental Protection Agency (EPA). 2001. Summary of requirements. *In* Managing your hazardous waste: a guide for small businesses. EPA530-K-01-005. Environmental Protection Agency, Washington, D.C.

Miller, Brinton M., et al. 1986. Laboratory Safety: Principles and Practices. Chapters 1, 2, 19 and 22. ASM Press, Washington, D.C.

Murray, P. R., E. J. Baron, M. A. Pfaller, F. C. Tenover, and R. H. Tenover (ed.). 1999. Chapters: Microscopy, Quality control of media, and Culture media. *In* Manual of clinical microbiology, 7th ed. ASM Press, Washington, D.C.

Olsen, W. P., and M. J. Groves (ed.). 1987. CIP/SIP system validation. *In* Aseptic pharmaceutical manufacturing. Interpharm Press, Prairie View, Ill.

Parenteral Drug Association. 1978. Validation of steam sterilization cycles. Technical report 1. Parenteral Drug Association, Bethesda, Md.

Pearson, F. 1985. Pyrogens, endotoxins, LAL testing, and depyrogenation. Marcel Dekker, New York, N.Y.

United States Pharmacopeial Convention. Chapters 51, 61, 71, 85, 1035, 1111, 1116, 1208, 1211, 1227, and 1231. *In* United States Pharmacopeia and National Formulary. United States Pharmacopeial Convention, Rockville, Md.

U.S. Food and Drug Administration. Current good manufacturing practice for finished pharmaceuticals. 21 CFR 211. U.S. Government Printing Office, Washington, D.C.

U.S. Food and Drug Administration. Good laboratory practice for nonclinical laboratory studies. Title 21, Code of Federal Regulations, section 58 (21 CFR 58). U.S. Government Printing Office, Washington, D.C. www.gpoaccess.gov/cfr/index/htm.

U.S. Food and Drug Administration. Guidance for industry; electronic records; electronic signatures. 21 CFR 11. U.S. Government Printing Office, Washington, D.C.

U.S. Food and Drug Administration. 1995. Microbiological methods for cosmetics. *In* Bacteriological analytical manual (BAM), 8th ed. AOAC International, Arlington, Va.

U.S. Food and Drug Administration. Quality system regulation. 21 CFR 820. U.S. Government Printing Office, Washington, D.C.

Internet

- USP. <http://www.usp.org>
- AAMI. <http://www.cssinfo.com/info/aami.html>
- AOAC International. <http://www.aoac.org>
- APHA. <http://www.apha.org>
- CFR. <http://www.access.gpo.gov/nara/cfr>
- FDA-BAM. <http://www.cfsan.fda.gov/~ebam/bam-toc.html>

About the Reference Lists

The resources listed are NOT meant to be comprehensive guides to the examination. They are merely suggested references for review.